

CAP FOR D-BOX M12 8-WAY 5-POLE

No pot.-sep. 15m PUR UL/CSA, 16x0,5+3x1,0

for 8-way distribution boxes, 5-pole 15.0 m

Further cable lengths on request.


Plastic housings with good resistance against chemicals and oils.


The resistance to aggressive media should be individually tested for your application. Further details on request.

Link to Product

Illustration







Product may differ from Image



Commercial data	
ECLASS-6.0	27143423
ECLASS-6.1	27279219
ECLASS-7.0	27279219
ECLASS-8.0	27279219
ECLASS-9.0	27440108

The information in this Product-PDF has been compiled with the utmost care.
Liability for the correctness completeness and topicality of the information is restricted to gross negligence. Version: 2024-04-27



stay connected

ECLASS-10.1	27440108
ECLASS-11.1	27440108
ECLASS-12.0 ETIM-5.0	27440108
customs tariff number	EC002585
GTIN	85444290 4048879053716
Packaging unit	1
Electrical data Supply	
Total current max.	8 A
Device protection Media	
Flame resistance	flame retardant
Mechanical data Material data	
Material housing	Plastic
Environmental characteristics Climatic	
Operating temperature min.	-20 °C
Operating temperature max.	70 °C
Additional condition temperature range	depending on cable quality
Installation Cable	
Cable identification	452
Jacket Color	gray
Type of Certificate	cURus
Amount stranding	1
Stranding	7 wires around Core filler twisted
Amount stranding (type 2)	1
Stranding (type 2)	12 wires counter-rotating twisted
Banding	Fleece
9	110000
Filler	yes
Filler	yes gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-
Filler wire arrangement	yes gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet)
Filler wire arrangement No. of bending cycles (C-track)	yes gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C
Filler wire arrangement No. of bending cycles (C-track) Cable weigth	yes gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket	yes gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket)	yes gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath)	yes gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm ± 5 %
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material wire insulation	yes gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm ± 5 % TPE-E
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material wire insulation Amount wires	yes gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm ± 5 % TPE-E
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material wire insulation Amount wires Outer diameter insulation	yes gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm ± 5 % TPE-E 16 1,6 mm
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation	yes gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm ± 5 % TPE-E 16 1,6 mm ± 5 %
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation	yes gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm ± 5 % TPE-E 16 1,6 mm ± 5 % 55 ± 5 Shore D
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation Ingredient freeness wire insulation	yes gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm ± 5 % TPE-E 16 1,6 mm ± 5 % 55 ± 5 Shore D lead-free, CFC-free, halogen-free, silicone-free, LABS-free
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation Ingredient freeness wire insulation Amount strands (wire)	yes gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm ± 5 % TPE-E 16 1,6 mm ± 5 % 55 ± 5 Shore D lead-free, CFC-free, halogen-free, silicone-free, LABS-free 64
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation Ingredient freeness wire insulation Amount strands (wire) Diameter of single wires	gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm ± 5 % TPE-E 16 1,6 mm ± 5 % 55 ± 5 Shore D lead-free, CFC-free, halogen-free, silicone-free, LABS-free 64 0,1 mm
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation Ingredient freeness wire insulation Amount strands (wire) Diameter of single wires Conductor crosssection (wire)	gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm ± 5 % TPE-E 16 1,6 mm ± 5 % 55 ± 5 Shore D lead-free, CFC-free, halogen-free, silicone-free, LABS-free 64 0,1 mm 0,5 mm²
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation Ingredient freeness wire insulation Amount strands (wire) Diameter of single wires Conductor crosssection (wire) Material conductor wire	gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm ± 5 % TPE-E 16 1,6 mm ± 5 % 55 ± 5 Shore D lead-free, CFC-free, halogen-free, LABS-free 64 0,1 mm 0,5 mm² Stranded copper wire, bare
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation Ingredient freeness wire insulation Amount strands (wire) Diameter of single wires Conductor crosssection (wire) Material conductor wire Conductor type (wire)	gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm ± 5 % TPE-E 16 1,6 mm ± 5 % 55 ± 5 Shore D lead-free, CFC-free, halogen-free, silicone-free, LABS-free 64 0,1 mm 0,5 mm² Stranded copper wire, bare strand class 6
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation Ingredient freeness wire insulation Amount strands (wire) Diameter of single wires Conductor crosssection (wire) Material conductor wire Conductor type (wire) Material wire insulation (Data)	gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm ± 5 % TPE-E 16 1,6 mm ± 5 % 55 ± 5 Shore D lead-free, CFC-free, halogen-free, LABS-free 64 0,1 mm 0,5 mm² Stranded copper wire, bare
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation Ingredient freeness wire insulation Amount strands (wire) Diameter of single wires Conductor crosssection (wire) Material conductor wire Conductor type (wire)	gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm ± 5 % TPE-E 16 1,6 mm ± 5 % 55 ± 5 Shore D lead-free, CFC-free, halogen-free, LABS-free 64 0,1 mm 0,5 mm² Stranded copper wire, bare strand class 6 TPE-E
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation Ingredient freeness wire insulation Amount strands (wire) Diameter of single wires Conductor crosssection (wire) Material conductor wire Conductor type (wire) Material wire insulation (Data) Outer diameter wire insulation (Data)	gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm ± 5 % TPE-E 16 1,6 mm ± 5 % 55 ± 5 Shore D lead-free, CFC-free, halogen-free, LABS-free 64 0,1 mm 0,5 mm² Stranded copper wire, bare strand class 6 TPE-E 2,1 mm
Filler wire arrangement No. of bending cycles (C-track) Cable weigth Material jacket Shore hardness jacket Freedom from ingredients (jacket) Outer-diameter (jacket) Tolerance outer diameter (sheath) Material wire insulation Amount wires Outer diameter insulation Outer diameter tolerance core insulation Shore hardness wire insulation Ingredient freeness wire insulation Amount strands (wire) Diameter of single wires Conductor crosssection (wire) Material conductor wire Conductor type (wire) Material wire insulation (Data) Outer diameter wire insulation (Data) Tolerance outer diameter wire insulation (data)	gray-pink, brown-green, yellow, green-white, green, red-blue, white, (brown-gray, black, gray-white, red, brown-yellow, pink, yellow-white, gray, blue, brown, green-yellow, violet) 5 Mio. @ 25 °C 231 g/m PUR 94 ± 5 Shore A lead-free, cadmium-free, CFC-free, halogen-free 11,5 mm ± 5 % TPE-E 16 1,6 mm ± 5 % 55 ± 5 Shore D lead-free, CFC-free, halogen-free, LABS-free 64 0,1 mm 0,5 mm² Stranded copper wire, bare strand class 6 TPE-E 2,1 mm ± 5 %



stay connected

Amount wires (Data)	3
Amount strands wire (Data)	128
Diameter of single wires (Data)	0,1 mm
Conductor crosssection wire (Data)	1 mm²
Material conductor wire (Data)	Stranded copper wire, bare
. ,	strand class 6
Wire conductor type (Data)	
Traversing distance (C-track)	5 m @ 25 °C
Current load capacity (standard) Current load capacity min. wire	to DIN VDE 0298-4 5,9 A
Current load capacity min. Wire (Data)	15 A
Electrical resistance line constant wire	39 Ω/km @ 20 °C
Electrical resistance coating wire (Data)	20 Ω/km @ 20 °C
Max. rated voltage power (conductor - ground)	300 V
Max. rated voltage power (conductor - conductor)	300 V
Power frequency withstand voltage power (wire - jacket)	2 kV @ 60 s
AC withstand voltage power (wire - wire)	2 kV @ 60 s
Min. operating temperature (static)	-40 °C
Max. operating temperature (fixed)	90 °C
Operating temperature min. (dynamic)	-20 °C
Operating temperature max. (dynamic)	90 °C
Flame resistance	UL 1581 § 1100 FT2 IEC 60332-2-2 UL 1581 § 1090
chemical resistance	Good, application-related testing
Gasoline resistance	Good, application-related testing
Oil resistance	Good, application-related testing DIN EN 60811-404
Bending radius (installation)	x Outer diameter
Bending radius (fixed)	8 x Outer diameter
Bending radius (dynamic)	10 x Outer diameter
Connection type 2	
Family construction form	free cable end
No. of poles	19
Family construction form	M12
Gender	female
Color contact carrier	black
Coding	A
No. of poles	5
PIN 1	+
PIN 2	NC S 2
PIN 3	-
PIN 4	NO S 1
PIN 5	PE